



AAKASH INTERNATIONAL SCHOOL

(Sr. Sec. Recognised & Affiliated to C.B.S.E.)

G-II BLOCK, JAI VIHAR, NEW DELHI-110043

Ph. : + 91 9125 400 700, 9125 500 800

Ref. No.AIS/f...Affi|2024

Dated 28/03/2024.....

LIST OF MANAGING COMMITTEE MEMBERS LIST OF AAKASH INTERNATIONAL SCHOOL

S.NO.	NAME	DESIGNATION
1.	MS. SUNILA CHOUDHARY	CHAIRPERSON
2.	SH. Y.P. PURANG	VICE CHAIRMAN
3.	SH. RAJBIR	MANAGER
4.	SH. SUSHIL VATS	MEMBER
5.	SH. AJAY ANAND	MEMBER
6.	SH. VARUN GARG	MEMBER
7.	SH. RAJIV TYAGI	MEMBER
8.	SH. SUMEET SHARMA	MEMBER
9.	SH. VIJAY ANAND	MEMBER
10.	SH. VIJAY KUMAR AGGARWAL	MEMBER
11.	SH. RAJEEV AGGARWAL	MEMBER
12.	SH. BAJRANG LAL	MEMBER
13.	MRS. BHUPINDER KAUR	MEMBER
14.	MRS. MANISHA VERMA	P.T.A MEMBER
15.	MRS. SUSHMA	TEACHER MEMBER
16.	MRS. REENA YADAV	TEACHER MEMBER
17.	MRS. DEEPA RANI	VICE PRINCIPAL
18.	THE HOS, GGSSS, Baprola New Delhi-110043 SCHOOL ID-1617030	D.E. NOMINEE
19.	THE HOS, GBSSS Baprola, New Delhi-110043 School ID -1617258	D.E. NOMINEE
20.	THE HOS, GGSS, Baprola Vihar, New Delhi- 110043, School ID 1617211	ADVISORY BOARD NOMINEE
21.	THE HOS, G.CO-ED S.S.S, RAJIV RATAN AWAS BAPROLA NEW DELHI-110043 SCHOOL ID- 1617255	ADVISORY BOARD NOMINEE

For AAKASH INTERNATIONAL SCHOOL


Manager


Vice Principal

Frequent hand sanitization-wearing of face mask-keep physical distance to prevent from Covid-19

**GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEADQUARTERS: DELHI FIRE SERVICE: CONNAUGHT PLACE
NEW DELHI-110 001.**


No.F.6/DFS/MS/School/2020/SZ/474

Dated: 5/11/2020

FIRE SAFETY CERTIFICATE

Certified that the **Aakash International School**, G-2 Block, Jai Vihar, New Delhi-110043, comprised of basement having storage in hall, ground floor plus three upper floors, having total 44 rooms (Including Classrooms, Library, Labs & Offices etc.) was issued Fire Safety Certificate vide letter no. F.6/DFS/MS/School/2017/SZ/1275 dated 24.08.17 owned/occupied by Aakash International School. The school building was re-inspected by the officer concerned of this department on 22.10.2020 in the presence of Smt. Promila Gupta (Principal) and found that the Aakash International School have deemed complied with the fire prevention and fire safety requirements in accordance with rule 33 of the Delhi Fire Service Rules, 2010 and that the building/ premises is fit for occupancy class "Educational" w.e.f. the date of issue of this certificate for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule-38 of the Delhi Fire Service Rules, 2010 printed as below.

Issued on.....5/11/2020..... at New Delhi.


(SUNIL CHOWDHARY)
Dy. CHIEF FIRE OFFICER
SOUTH ZONE

Copy to:-

1. The Manager,
Aakash International School,
G-2 Block, Jai Vihar, New Delhi-110043
2. Director of Education,
Govt. of NCT of Delhi, Old Secretariat,
New Delhi-110054.

Following fire safety directives must be adhered to:-

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
2. The means of escape shall be kept unlocked and unobstructed for unhindered evacuation of occupants in case of emergency.
3. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
4. The trained staff should be available round the clock.
5. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
6. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
7. Basement shall be used as per the building bye laws.
8. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in.
9. The owner/occupier shall apply for renewal of this Fire Safety Certificate to the Director in the Form 'J' [sub rule (1) of rule 37] along with a copy of this Certificate, six months prior to its expiry.



MUNICIPAL CORPORATION OF DELHI
PUBLIC HEALTH DEPARTMENT, WEST ZONE
SHIVAJI ENCLAVE, RAJA GARDEN, NEW DELHI - 110027



No.DHO/WZ/2022/D- 1301

Dated: 12/07/2022

HEALTH CERTIFICATE

1. Name of the School **Aakash International School**
2. School address **G-2 Block, Jai Vihar, New Delhi -110043**
3. No of shifts **01 (Morning)** Timing **08 AM TO 2 PM**
4. No of students:- Boys **353** Girls **264** Total **617**
5. No of staff: - Gents **02** Ladies **44** Total **46**

Accommodation provide for classroom as under:-



- Floor area in the classroom is sufficient /insufficient **Sufficient**
- Classes are well lighted/ ill lighted **Well lighted**
- Classrooms are well ventilated/ill ventilated **Well ventilated**
- Classes are kept/ not kept neat and clean **Neat & clean**
- Building/ classrooms require/ do not require white wash etc. **not required**
- Drinking water is wholesome/ not wholesome **wholesome**
- Latrine arrangement is sanitary/ insanitary **Sanitary from health point of view**

Note:- Valid for one year from the date of issue


Dy. Health Officer
West Zone

**Dy. Health Officer
West Zone**

"STOP CORONA VIRUS-Wash Your Hand/Wear Mask/Maintain Social Distance"

 Delhi Jal Board	DELHI JAL BOARD (GOVT. OF N.C.T. DELHI) QUALITY CONTROL LABORATORY, WATER TREATMENT PLANT NANGLOI, DELHI-110041	 एक कदम स्वच्छता की ओर
--	--	--

Water sample collected from "Aakash International School" G-2 Block, Jai Vihar
 New Delhi-110043 Vide Challan No.114 Dated : 25.07.2022

S. No	Parameter	Units	Limit		S1
			Acceptable	Permissible	
PHYSICAL EXAMINATION					
1.	Date of collection	-----	--	--	26.07.2022
2.	Date of Analysis	-----	--	--	27.07.2022
3.	Colour	Hazen	5.0	15	Clear
4.	Odour	-----	No. Objectionable		No Obj.
5.	Turbidity	N.T.U.	1.0	5.0	0.82
6.	PH value	-----	6.5	8.5	7.2
7.	Electrical Conductivity	µmho	--	--	219
8.	Total dissolved solids	mg/l	500	2000	108
CHEMICAL EXAMINATION					
9.	P th Alkalinity	mg/l	--	--	NIL
10.	Total Alkalinity	mg/l	200	600	60
11.	Total Hardness	mg/l	200	600	96
12.	Calcium Hardness	mg/l	--	--	58
13.	Magnesium Hardness	mg/l	--	--	38
14.	Calcium as Ca	mg/l	75	200	23.2
15.	Magnesium as Mg	mg/l	30	100	9.12
16.	Ammonia as N	mg/l	0.5	N.R.	NIL
17.	Nitrite as N	mg/l	--	--	NIL
18.	Nitrate as No ₃	mg/l	45	N.R.	1.2
19.	Sulphate	mg/l	200	400	28
20.	Chloride	mg/l	250	1000	16
21.	Dissolved Iron	mg/l	0.3	N.R.	0.04
22.	Fluoride	mg/l	1	1.5	0.03
23.	Cyanide	mg/l	0.05	N.R.	ND
24.	Residual Chlorine	mg/l	0.20	1.0	NIL
BACTERIOLOGICAL EXAMINATION					
25.	Coli-form per 100 ml at 37°C	MPN	0		0

REMARKS: As per tested parameters sample -S1 can be use for drinking purpose.

S. Banerjee
 Chemist

[Signature]
 ASST. Chief Water Analyst
 DELHI JAL BOARD
 Govt. of N.C.T. Delhi
 Quality Control Laboratory
 Water Works, Nangloi, Delhi

OFFICE OF THE DEPUTY DIRECTOR OF EDUCATION
DISTRICT WEST – B, G- BLOCK, VIKASPURI, NEW DELHI – 110018

F.NO./DDE/W-B/Pr.Br./2022/ 283

Dated: 31.08.2022

To


✓ The Manager/HoS,
Aakash International School,
G-2 Block, Jai Vihar,
New Delhi- 11043

Sub: Approval for Extension of provisional recognition from class Middle to Sr. Secondary level (Arts, Science & Commerce Streams) beyond 31.03.2017 up to 31.03.2023 in r/o Aakash International School, G-2 Block, Jai Vihar, Nangloi- Najafgarh Road, New Delhi- 43.

Sir,


With reference to your application on the subject cited above, I am directed to convey the approval of Director of Education, Govt. of NCT of Delhi vide U.O No.: 6874/DE dated 22/08/2022 for grant of extension of provisional recognition from class Middle to Senior Secondary level (Arts, Science & Commerce Streams) beyond 31.03.2017 up to 31.03.2023 in r/o Aakash International School, G-2 Block, Jai Vihar, Nangloi- Najafgarh Road, New Delhi- 43, subject to the following conditions:

- (i) Final outcome of the notification of MoUD, GoI.
- (ii) That the school shall make payment of salary and other admissible allowances to its teaching/ non- teaching staff as per ongoing CPC through bank/ RTGS.
- (iii) That the school shall comply with the provisions of section 10(1) read with Rule 125 of DSEAR, 1973.
- (iv) That the school shall comply with the provisions of DSEAR, 1973, RTE Act, 2009 and direction/instruction/guidelines issued by the Department from time to time.
- (v) That the school shall comply with the order/ guidelines of DoE and judicial pronouncement w.r.t. utilization/ maintenance of school funds.
- (vi) That the school shall comply with the orders/guidelines of DoE dated 07/11/2017 and judicial pronouncements w.r.t. safety of the students and shall take all necessary steps to this effect
- (vii) That the school shall get the permission from the Competent Authority within 03 months to run Pre-school and Pre-primary classes.
- (viii) That the school shall appoint the Second Special Educator in the school within 03 months.


(Dr. Yadaiah Marka)
Dy. Director of Education
Distt. West-B

Copy to :- for information and necessary action.

1. P.A. to Director (Education), Directorate of Education, Civil Lines, Delhi – 110054.
2. DDE (PSB), Directorate of Education, Civil Lines., Delhi – 110054.
3. DDE Zone – 17, District West – B, Vikaspuri, Delhi – 110018.
4. Guard File.


(Dr. Yadaiah Marka)
Dy. Director of Education
Distt. West-B



केन्द्रीय माध्यमिक शिक्षा बोर्ड
Central Board of Secondary Education
संबंधता - Online School Affiliation & Monitoring System R-2.0
As per new Affiliation Bye-Laws



Grant with Condition Letter for:-EX-03480-1920

NO . CBSE/AFF/EX-03480-1920/2019-20/

Dated:
28/08/2020

The Manager,
Aakash International School
g-2 block, jai vihar, nangloi road, najafgarh road,
NEW DELHI
DELHI, WEST DELHI, 110043
(M: 9958640830)

Subject : Extension of General Affiliation- regarding.
Ref : Application No. EX-03480-1920 dated 19.06.2018.

With reference to your application on the subject cited above; I am directed to convey the sanction for General Affiliation as per details given below :

Affiliation No.	2730717
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of General affiliation	01.04.2019 to 31.03.2024

The facilities reported at the time of last inspection:

S.No.	Detail	Size
1	Area on which school building situated reported by the IC	4046 sq.mtrs (4840 sq. yard)
2	Area of play ground	3000 sq. mtrs.

The above sanction is subject to fulfillment of following conditions:-

1. The school will follow the **RTE Act, 2009** and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time.
2. The School is required to apply online for further extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
3. The school will also abide by the conditions prescribed, if any, by the State Government concerned as mentioned in certificate as per appendix III issued by District Education Officer (DEO) /equivalent officer.
4. The school should ensure the strong governance and management of its activities in way of comprehensive and quantifiable planning in way of curriculum planning, infrastructure, resources, physical education, staff development and other co-curricular areas.
5. The school should go through the provision of **Affiliation and Examination Bye Laws and keep a copy thereof** for reference purpose and also advised to visit CBSE websites i.e. <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates. The School is expected to see all circulars on these CBSE websites regularly.
6. The school will strictly adhere to all rules regarding safety of students including Fire fighting and Transportation, etc. Further, school will provide adequate facilities for potable drinking water and clean healthy and hygienic toilets with washing facilities for boys and girls separately in proportion to the number of students.
7. **Admission to the school** is to be restricted as per relevant rules of Examination Bye-laws and rule 2.4.5, 2.6.5, 7.1, 7.2, 8.4.2, 8.4.10 & other relevant rules of Affiliation bye laws.
8. The school is required to follow rule No.2.4.7 and 2.4.8 of Affiliation Bye Laws regarding Books and Quality of Education.
9. The number of sections in the school are restricted to **37** as per number of sections reported by the IC and shall not be increased without specific approval of the Board. For increase in number of sections, the School shall apply online to the Board as per rule 15.7 of affiliation bye laws.
10. The school shall be solely responsible for any legal consequences arising out of the use of school

- be liable to bear all legal charges incurred by the Board, if any, arising out of these circumstances.
11. The school must strive to promote conservation of environment on their campus through rain water harvesting, segregation of waste at source, recycling of organic waste, proper disposal of waste including electronic waste, use of energy saving and energy efficient electrical equipment, greening of campus, use of solar energy, education and awareness amongst children on environment conservation and cleanliness etc.
 12. The school shall submit their information through Online Affiliated School Information System (OASIS) as per details given in circular no. affiliation-06/2018 dated 24.04.2018. Link for OASIS is available on Board's website: www.cbse.nic.in.
 13. The optimum Section teacher ratio of 1:1.5 as well as student teacher ratio of 30:1 is to be maintained to teach various subjects and school shall appoint qualified and trained teaching staff on regular basis as per provisions of Affiliation Bye Laws of the Board.
 14. Every affiliated school shall sponsor regularly its bonafide and eligible students in Boards Class X and Class XII examinations from the year mentioned while granting affiliation/upgradation regularly without break or inform with reasons thereof in writing well in time about the non-sponsoring of the candidates.
 15. Running of **coaching institutions** in the school premises in the pretext of providing coaching to the students for various examinations is not permitted by the Board. Strict action would be taken on defaulters.
 16. The Manager and the Principal of the school shall be jointly responsible for the authenticity of the online/offline documents/ information/data submitted by the School to the Board.
 17. Apart from rules to be adhered to by the school as mentioned above for drawing specific attention of the school authorities, the school authorities are required to acquaint themselves with all the rules contained in Affiliation & Examination Bye-laws and circulars/guidelines/ notification issued by the Board from time to time. Any laxity in following rules/instructions of the Board will lead to action against school as per Chapter 12 of Affiliation Bye-laws-2018.
 18. The school shall be responsible to immediately comply with the conditions mentioned in the grant letter and shall also maintain record of certificates, compliances, data and other records/information and shall be fully responsible to produce all such records before Board when asked for, Failing which necessary action shall be taken as per Affiliation-Bye-Laws of the Board.

Deputy Secretary (Affiliation)

* As reported by the Inspection Committee 35 teachers are trained & 35 teachers are also untrained. The school is required to clarify regarding above and appoint only trained & qualified teachers as per norms of Affiliation Bye-laws.

The school is required to renew all essential and desirable safety certificates from time to time.

Deputy Secretary

Encl: as stated above.



सत्यमेव जयते

CERTIFICATE OF REGISTRATION

SOCIETIES REGISTRATION ACT XXI OF 1860

Registration No. S. 42229 of 2002.

I hereby certify that Naithani Education Society

located at A-38 Brotherhood Group Housing Cooperative Society, Bodella Phase II Vikaspuri New Delhi-18 has been registered under the " SOCIETIES REGISTRATION ACT - ACT XXI

of 1860"

Give under my hand at DELHI on this 22nd day of April **Two Thousand Two.**

Registration Fee of Rs. 50/- paid.

[Signature]
22/4/02
(K. S. MEENA)

REGISTRAR OF SOCIETIES
Govt. of N.C.T. of Delhi.



OFFICE OF THE SUB-DIVISIONAL MAGISTRATE (PUNJABI BAGH)

MAIN ROHTAK ROAD, NANGLOI, NEW-DELHI-110041

NO.F.1(1)/SDM(PB)2014/ 1088

Dated: 19/2/14

CERTIFICATE OF LAND

Certified that land measuring 4840 sq.yard. Situated in Khasra no.48/15 and 48/16 at Village Baprola Colony known as Jai Vihar (Sub Division Punjabi Bagh) district west is owned by Smt. Saroj Gupta vide agreement to Sale dated 16/08/2012 vide registration no.4339 vide book no.1.Vol. No.2018 page no.140 to 145 with SR II A Punjabi Bagh in Khasra no. 48/15 and vide agreement to Sale dated 16/08/2012 vide registration no.4338 vide book no.1.Vol. No.2018 page no.134 to 139 with SR II A Punjabi Bagh . In Khasra no. 48/16 & GPA dated 21/05/2002 . It is certified that the entire land comprises of a single plot of land.

(Note:- the above chain of ownership is as per title documents submitted by the School Authority starting from the recorded bhoomidhars as per revenue record to the khasra no. involved).

It is further certified that the owner of the land (as per title documents) has leased the said land to Naithani Education Society through its president Sh. Rajesh Gupta S/o Sh.R.K.Gupta vide lease deed dated 22/03/2013 with SR II A PUNJABI BAGH for a period of thirty years vide registration no.1159 , Book no.1 , Vol. no.2136 , page no.91 to 96 and the land is still in possession of Lessee .

It is further certified that Aakash International School (Recognised), G-2,Block Jai Vihar , New-Delhi-110043 , Sub-Division Punjabi Bagh , District-West is located on the said plot of land .

THE SCHEDULE OF LAND ABOVE REFERRED TO

All That pieces and parcel of Land measuring 4840 sq. yard situated in G-2 ,Block Jai Vihar , New-Delhi-110043 , Sub-division Punjabi Bagh District West and bounded as follows:-

NORTH : OTHER PROPERTY

EAST : ROAD

WEST : OTHER PROPERTY

SOUTH : ROAD

J.S. Rana

SUB-DIVISIONAL MAGISTRATE

(PUNJABI BAGH)

J.S. RANA
Sub-Divisional Magistrate
Punjabi Bagh
Main Rohtak Road, Nangloi
Delhi-110041

